



FOCUS ON YOUR MISSION







# 5,040 mAh DETACHABLE BATTERY Detachable battery, longer working time Desktop charger + 18W QC, easy & fast battery charging DUAL 5G ACCESS Lightning-fast speed



# THE BEST OF TWO WORLDS-



The PNC560 gives you the best of two worlds—a professional PTT radio and a hardened productivity smartphone . Performing as an instant communication device, it offers you mission-critical push-to-talk (MCPTT) over 5G network with super-fast speed and low latency, supporting team communication & collaboration with a simple key press . Performing as a productivity-boosting tool, through the industry-leading design & specification, it secures the reliable and efficient operations for various field applications, works as the most productive partner for the mission accomplishment.

# **DESIGNED FOR MISSION-CRITICAL COMMUNICATION**

# **3GPP MCX SERVICES**

- Dedicated 3GPP MCX service QCIs
- 40ms short MSP for eMBMS service
- Compliant with latest 3GPP MCX features by HyTalk MC platform
- Open API for 3rd-party MCX APP adaption
- Best support on 3GPP MCX services from Hytera

# **Guaranteed User Experience**

- Dedicated PTT & SOS button, instant communication and alarm reporting
- Hytera Al-based Noise Cancellation technology
- 3W ultra linear dual-speaker, intelligent power amplifier
- Guaranteed loud and clear audio performance
- 5G + 3 high-resolution cameras ensure clear video streaming services.

# **Rugged & Robust**

- IP68 water proof, dust proof
- MIL-STD-810H
- 1.5m drop resist
- Detachable high capacity battery








# ALL ABOUT PRODUCTIVITY AND EFFICIENCY

# **ANDROID 12 ECOSYSTEM**

 Latest android OS brings more security, more efficiency and more productivity.



# **POWERFUL SPECIFICATION**

- QualComm 8-core platform, stable & smooth multi-task operations under most complicated business scenarios.
- BT 5.0 / NFC / Dual-band WiFi / Dual-band GNSS / IR sensor, seamless integration with field facilities.





# **3 HIGH-RESOLUTION CAMERAS**

- Separate telephoto lens and wide-angle lens, covering different field scenarios.
- Low-light photography, and high dynamic range, clear image at night.
- Innovative lens stabilization algorithm, clear image during moving.

# **Barcode Scanner\***

- Special version assembled with dedicated barcode scanner.
- APP + Scanning all in one, significant efficiency improving.



# **EXTREAM SECURE, INSIDE AND OUT**



The PNC560 is an ultra-secure device designed for professionals who need utmost data security protection. It employs a multi-layer security mechanism integrated in both hardware and software design to provide comprehensive & adequate data protection on the device.

# **SW TAMPER-PROOF**

Secure boot and Android FBE (File-Based Encryption), no unauthorized system access or modification.

### **SAFEBOX**

Provide a secure space to encrypt your videos, pictures, or other files. Authentication is required on every access.

# **HW TAMPER-PROOF**

Smart detection on unauthorized hardware disassembling, automatic system restore & user data cleaning once detected, provides utmost system and data protection.

# **SMART MDM**

Manage and monitor all devices in the organization to protect data security. The Smart MDM is used to remotely control application installation and uninstallation by blacklist or whitelist, change the password, lock the screen, kill or revive the device, erase data, restore the factory settings, and more.





# **SPECIFICATIONS**

### GSM: 850/900/1800/1900 WCDMA: B1/B2/B4/B5/B8 LTE-TDD:B38/B39/B40/B41/B42/B43/B48 Broadband Network LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/B20/B26/B28 5G: N1/N2/N3/N5/N20/N28/N41/N66/N71/N78 Operating System RAM: 4 GB, ROM: 64 GB / RAM: 6 GB, ROM: 128 GB Storage Micro SD: 256 GB (Max) Dimensions (H x W x D) 166.6 mm x 77.1 mm x 13 mm About 270 g Screen Size 6.3 inches Screen Resolution 2340 x 1080 Cameras Front:8MP, Rear:48MP\*+8MP Flashlight Available 5,040 mAh (typical) Battery Charging USB Type C; Charger Card Slot 2 x Nano SIM, 1 x Micro SD Available Motor Speaker ≤ 3 W (two speakers) WLAN 2.4&5 GHz 802.11a/b/g/n/ac Fingerprint sensor, acceleration sensor, gyroscope, geomagnetic Sensor sensor, infrared sensor, opto-sensor GPS/BDS/GLONASS/GALILEO/A-GPS Location BT BT 5.0 NEC Available 1080p@30fps Video Resolution Video File Format Video Coding Format PO H 264 RP/MP/HP SP/ASP DivX 4x/5x/6x VP9 MP Photo File Format JPG, GIF, BMP, PNG, WebP Audio File Format aacPlus, eAAC; AMR-NB, AMR-WB, G.711, Windows Media Audio, Audio Coding Format (WMA) 9/10 Pro -20°C~+60°C Operating Temperature -30°C~+70°C Storage Temperature RoHS/REACH **Environmental Compliance** IEC 61000-4-2,(ESD)± 12 kV (Air); ±8 kV (Contact) Ingress Protection IP68 1.5m Drop-proof FCC/CE/IC Certification

# **ACCESSORIES**



Power Adapter



Data Cable



Tempered Glass



Charger CH20L19



 Li-ion Polymer Battery BP4901



• Wireless Remote Speaker Microphone SM27W2



• Wired Earpiece



Wireless Ring PTT POA121



BT Earpiece
 FHW08



Optional

# APPLICATION SCENARIOS











Public safety Utility Airports Industrial parks Logistics Railway



# Hytera Communications Corporation Limited Stock Code: 002583.SZ

**Address:** Hytera Tower, Shenzhen Hi-Tech Industrial Park North, Beihuan RD.9108#, Nanshan District, Shenzhen, P.R.C.

**Tel:** +86-755-2697 2999 **Fax:** +86-755-8613 7139 **Post:** 518057

Http://www.hytera.com

marketing@hytera.com









Hytera retains right to change the product design and specification. Should any printing mistake occur, Hytera doesn't bear relevant responsibility. Little difference between real product and product indicated by printing materials will occur by printing reason.